| • . | Ŷ | |
|------------------|--|---|
| 25X1A | ANDLE V Approved For Release 2003/02/27 : CIA-RDP70B00501 | |
| | MEMORANDUM FOR THE RECORD | - JUM-10 followd) |
| | SUBJECT: OXCART Deactivation Meeting | Contract |
| 25X1A | l. At 1035 hours on 10 August, a meeting was hel Office of OSA to discuss funding needed from the NRO t | o deactivate the first four |
| 25X1A | OXCART aircraft. Those present were NRO Comptroller; representing OSA, and the undersigned. | representing the |
| 25X1A | 2. said he wanted to ascertain the sta and what funds would be required to prepare the aircra | tus of OXCART deactivation |
| 25X1A | for the deactivationshowed a | message from Mr. Kelly |
| 25X1A | Johnson of Lockheed stating the first two aircraft, nu to be stored in late August, can be handled in the sma | ll hanger at Palmdale (Buil- |
| 25X1NRO | ding 211). Mr. Johnson stated that partitioning and s to be done at a cost of about The remaining airc | prinkler system would have raft will be stored in the |
| 25X1NRO 25X1A | main hanger at Palmdale and that will be needed t | o make it ready for the first |
| ; 1 | two (in September). These are to be all-inclusive cos felt this quotation was quite reasonable and he a | sked how much it would cost |
| 25X1A | the engines will be kept in the aircraft Number 134 | ere will be no pickling and |
| 25X1 NRO | | at Palmdale. Number 122 can NRO |
| 25X1A | 3. A short discussion of the U2, U2R programs fo be test flown on the 28th of this month. | |
| 25X1A | be test flown on the 28th of this monthstated that two of the Perkin-Elmer cameras for the U2C's were in need of overhaul. This runs camera and had not been included in the FY 68 NRO Budget. OSA feels there is no | |
| 251/4 | soft area where this amount of money can be reappropri | ated and they may have to |
| 25X1A | ask for added funds. stated they will try t and when they need it. Here endeth the meeting. | o get the money for OSA if |
| • | | |
| | P | lans and Programs Branch |
| NIDO DEVIEV | W COMPLETED | O/DDS&T |
| INICO INCOILE | | NAME OF THE STATE |
| | Distribution: Copy 1 - Compt/DDS&T 2 - Budget Br/DDS&T | DDS+T file Copy. |
| | 3 - P&P Chrono 4&5 - DDS&T Registry | |
| 25X1A | O/DDS&T/Compt/P&P Br//jp (11Aug67) | 0126-67 25X1A Copy 4/2 of 5 25X1A |
| | Excised in automatic design and unclassific Atoproved For Release 2003/02/27 CM-RDP70B00501 | HANDLE VIA CONTROL SYSTEM R000100040020-9 |